

## Refine Search

### Search Results -

Terms	Documents
@pd<20020410 and (rmi or remote adj method invocation) near registries	8

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L99

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Friday, December 07, 2007   [Purge Queries](#)   [Printable Copy](#)   [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
<u>L99</u>	@pd<20020410 and (rmi or remote adj method invocation) near registries	8	<u>L99</u>
<u>L98</u>	@pd<20020410 and L96	11	<u>L98</u>
<u>L97</u>	@pd<100402 and L96	0	<u>L97</u>
<u>L96</u>	(rmi or remote adj method invocation) and L95	79	<u>L96</u>
<u>L95</u>	(primary or secondary) with registries	2012	<u>L95</u>
<u>L94</u>	(primary or secondary) with (rmi or remote adj method invocation) near registries	2	<u>L94</u>
<u>L93</u>	L46 and L91	21	<u>L93</u>
<u>L92</u>	@pd<100402 and L91	0	<u>L92</u>
<u>L91</u>	((replicat\$3 or duplicat\$3 or stand\$1by or back\$1up or fault near toleran\$2 or redundan\$2 or fail\$1over or fail\$3) and (((nam\$3 near (service or server)) or (look\$1up near (server or service))) or (rmi or remote adj method adj invocation))).ab,ti.	228	<u>L91</u>

<u>L90</u>	L46 and L89	54	<u>L90</u>
	((replicat\$3 or duplicat\$3 or stand\$1by or back\$1up or fault near toleran\$2 or redundan\$2 or fail\$1over or fail\$3) and ((nam\$3 near (service or server)) or (look\$1up near (server or service))) or (rmi or remote adj method adj invocation)).ab,ti.	498	<u>L89</u>
	<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L88</u>	'5893114'.pn.	1	<u>L88</u>
<u>L87</u>	'5893908'.pn.	1	<u>L87</u>
<u>L86</u>	'6185626'.pn.	1	<u>L86</u>
<u>L85</u>	'6195701'.pn.	1	<u>L85</u>
<u>L84</u>	'6212557'.pn.	1	<u>L84</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L83</u>	(replicat\$3 or duplicat\$3 or copied) near ((nam\$3 near (service or server)) or (look\$1up near (server or service)))	52	<u>L83</u>
<u>L82</u>	(replicat\$3 or duplicat\$3 or copied) with ((nam\$3 near (service or server)) or (look\$1up near (server or service)))	317	<u>L82</u>
<u>L81</u>	((replicat\$3 or duplicat\$3 or copied) with ((rmi or remote adj method invocation) near registry))	1	<u>L81</u>
<u>L80</u>	((replicat\$3 or duplicat\$3) with ((rmi or remote adj method invocation) near registry))	1	<u>L80</u>
	<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L79</u>	'6092178'.pn.	1	<u>L79</u>
<u>L78</u>	'6167427'.pn.	1	<u>L78</u>
<u>L77</u>	'6167427'.pn.	1	<u>L77</u>
<u>L76</u>	'6167427'.pn.	1	<u>L76</u>
<u>L75</u>	'6327622'.pn.	1	<u>L75</u>
<u>L74</u>	'6351775'.pn.	1	<u>L74</u>
<u>L73</u>	'6360256'.pn.	1	<u>L73</u>
<u>L72</u>	'6360256'.pn.	1	<u>L72</u>
<u>L71</u>	'6438590'.pn.	1	<u>L71</u>
<u>L70</u>	'6453320'.pn.	1	<u>L70</u>
<u>L69</u>	'6453320'.pn.	1	<u>L69</u>
<u>L68</u>	'6529947'.pn.	1	<u>L68</u>
<u>L67</u>	'6571274'.pn.	1	<u>L67</u>
<u>L66</u>	'6578050'.pn.	1	<u>L66</u>
	<i>DB=PGPB; PLUR=YES; OP=OR</i>		
<u>L65</u>	'20010052016'.pn.	1	<u>L65</u>
<u>L64</u>	'20020099970'.pn.	1	<u>L64</u>
<u>L63</u>	'20020099970'.pn.	1	<u>L63</u>
<u>L62</u>	'20020129134'.pn.	1	<u>L62</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L61</u>	java and L60	52	<u>L61</u>
	(back\$1up or stand\$1by or second or alternat\$5 or reserve or stand\$1by or		

<u>L60</u>	back\$1up) adj ((nam\$3 near (service or server)) or (look\$1up near (server or service)))	192	<u>L60</u>
<u>L59</u>	(back\$1up or stand\$1by or second or alternat\$5 or reserve or stand\$1by or back\$1up) with ((nam\$3 near (service or server)) or (look\$1up near (server or service)))	2051	<u>L59</u>
<u>L58</u>	(back\$1up or stand\$1by or second or alternat\$5 or reserve or stand\$1by or back\$1up) near ((nam\$3 near (service or server)) or (look\$1up near (server or service)))	355	<u>L58</u>
<u>L57</u>	(multipl\$5 or plural\$5 or two or second) near look\$1up adj service	12	<u>L57</u>
<u>L56</u>	((multipl\$5 or plural\$5 or two or second) near ((rmi or remote adj method invocation) near registry))	1	<u>L56</u>
<u>L55</u>	(failure or fault or toleran\$3) with rmi adj registry	1	<u>L55</u>
<u>L54</u>	(failure or fault or toleran\$3) near rmi adj registry	0	<u>L54</u>
<u>L53</u>	L51 and L52	43	<u>L53</u>
<u>L52</u>	(rmi or remote adj method invocation)	28808	<u>L52</u>
<u>L51</u>	((back\$1up or stand\$1by or second or alternat\$5 or reserve) near registry)	1486	<u>L51</u>
<u>L50</u>	((fail\$1over or redundant or fault near toleran\$2) with server near registry)	20	<u>L50</u>
<u>L49</u>	((fail\$1over or redundant or fault near toleran\$2) near registry)	13	<u>L49</u>
<u>L48</u>	(fail\$1over or redundant or fault near toleran\$2) with ((rmi or remote adj method invocation) near registry)	5	<u>L48</u>
<u>L47</u>	(fail\$1over or redundant or fault near toleran\$2) near ((rmi or remote adj method invocation) near registry)	0	<u>L47</u>
<u>L46</u>	L40 or L45	21293	<u>L46</u>
<u>L45</u>	(707/10).ccls.	7764	<u>L45</u>
<u>L44</u>	((back\$1up or stand\$1by) and ((rmi or remote adj method invocation) near registry))	38	<u>L44</u>
<u>L43</u>	((back\$1up or stand\$1by or reserve) and ((rmi or remote adj method invocation) near registry))	64	<u>L43</u>
<u>L42</u>	((back\$1up or stand\$1by or second or alternat\$5 or reserve) with ((rmi or remote adj method invocation) near registry))	3	<u>L42</u>
<u>L41</u>	((back\$1up or stand\$1by or second or alternat\$5 or reserve) near ((rmi or remote adj method invocation) near registry))	1	<u>L41</u>
<u>L40</u>	L35 or L36 or L37 or L38 or L39	13835	<u>L40</u>
<u>L39</u>	(719/311  719/312  719/313  719/314  719/315  719/316  719/328  719/329  719/330  719/331  719/332).ccls.	4782	<u>L39</u>
<u>L38</u>	(717/120  717/121).ccls.	866	<u>L38</u>
<u>L37</u>	(718/106).ccls.	529	<u>L37</u>
<u>L36</u>	(715/733  715/737  715/738  715/740  715/749  715/751).ccls.	1952	<u>L36</u>
<u>L35</u>	(714/1  714/2  714/3  714/4  714/6).ccls.	5900	<u>L35</u>
	DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR		
<u>L34</u>	KYRIAKIDES-LIONEL!	18	<u>L34</u>
<u>L33</u>	WIECZOREK-PHILIPPE!	18	<u>L33</u>
<u>L32</u>	WIECZOREK-PHILIPPE!	18	<u>L32</u>
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		

<u>L31</u>	@pd<20021004 and L30	55	<u>L31</u>
<u>L30</u>	(load\$1balanc\$3 or fault near toleran\$2 or fail\$3 or back\$1up) with (nam\$3 near service or (rmi or remote near method) near registries)	211	<u>L30</u>
<u>L29</u>	@pd<20021004 and L28	22	<u>L29</u>
<u>L28</u>	(multipl\$7 or plural\$4) near (nam\$3 near service or (rmi or remote near method) near registries)	69	<u>L28</u>
<u>L27</u>	remote near object and L26	55	<u>L27</u>
<u>L26</u>	(load\$1balanc\$3 or fault near toleran\$2 or fail\$3) and L25	351	<u>L26</u>
<u>L25</u>	(multipl\$7 or plural\$4) with (nam\$3 near service or (rmi or remote near method) near registries)	721	<u>L25</u>
<u>L24</u>	6594702.pn.	2	<u>L24</u>
<u>L23</u>	@pd<20021004 and L22	27	<u>L23</u>
<u>L22</u>	(fault or tolerance or stand\$1by or primary or secondary or redundan\$2 or fail\$1over) and L21	168	<u>L22</u>
<u>L21</u>	(remote near method near invocation or rmi) and L20	208	<u>L21</u>
<u>L20</u>	(multip\$7 or plural\$4 or two) with (name near service or registries)	20335	<u>L20</u>
<u>L19</u>	(remote near method near invocation or rmi or java) and L18	10	<u>L19</u>
<u>L18</u>	(fault or tolerance or stand\$1by or primary or secondary or redundan\$2 or fail\$1over) near (name near service or registries)	224	<u>L18</u>
<u>L17</u>	(remote near method near invocation or rmi) and (fault or tolerance or stand\$1by or primary or secondary or redundan\$2 or fail\$1over) with (name near service or registries)	45	<u>L17</u>
<u>L16</u>	(remote near method near invocation or rmi) and L15	11	<u>L16</u>
<u>L15</u>	(fault or tolerance or stand\$1by or primary or secondary or fail\$3 or redundan\$2 or fail\$1over) with (name near service or registries)	278	<u>L15</u>
<u>L14</u>	L12 and L13	24	<u>L14</u>
<u>L13</u>	(fault or tolerance or error or fail\$3 or redundan\$2 or fail\$1over) with registries	1507	<u>L13</u>
<u>L12</u>	(remote near method near invocation or rmi) with registries	165	<u>L12</u>
<u>L11</u>	(remote near method near invocation or rmi) and L10	1	<u>L11</u>
<u>L10</u>	(standby or primary) near registry	100	<u>L10</u>
<u>L9</u>	(standby or primary) near rmiregistry	0	<u>L9</u>
<u>L8</u>	L2 and L7	15	<u>L8</u>
<u>L7</u>	@pd<20021004 and L6	98	<u>L7</u>
<u>L6</u>	distribut\$3 with (object near registry or naming adj service)	215	<u>L6</u>
<u>L5</u>	(mirror\$3 or duplicat\$3 or replicat\$3) same (object near registry or naming adj service)	80	<u>L5</u>
<u>L4</u>	@pd<20021004 and L3	98	<u>L4</u>
<u>L3</u>	L1 and L2	311	<u>L3</u>
<u>L2</u>	(remote or object) near (invocation or invok\$3)	5849	<u>L2</u>
<u>L1</u>	(first or second\$4 or stand\$1by or primary or alternat\$3 or back\$up or fault or redundan\$2 or fail\$4 or fail\$1over) with (registry or naming near service)	19893	<u>L1</u>

END OF SEARCH HISTORY